



## Polyester glass pressed sections and corners

Section (mm)	Type	A (mm)	B (mm)	C (mm)	D (mm)	Length (mm)	Length (mm)
	01	120	50	5	-	500	-
	02	218	40	4	-	400	-
	03	170	40	4	-	1150	-
	04	83	40	5	-	1150	-
	05	50	40	5	-	600	-
	06	60	40	5	-	600	-
	08	100	75	20	-	1080	-
		07	83	40	3	40	1100
09		81	34	3	30	500	-
	11	100	100	3	-	1100	1540
	12	100	100	4	-	1100	1540
	13	100	100	5	-	1100	1540
	14	100	100	6	-	1100	1540
	15	100	100	8	-	1100	1540
	16	100	100	10	-	1100	1540
	17	100	100	15	-	1100	1540
	18	100	100	20	-	1100	1540

Colour: Red. White available on demand.

TO BE KEPT in dry stores.

We are available to effect cutting to measurement as well as machining to drawing of parts by CNC.



## Polyester glass pressed sections and corners

Type	Section (mm)	Sp. (mm)	Height (mm)	Internal radius (mm)	External radius (mm)
A		3	1100	1,5	2,5
B		5	1100	1,5	2
C		3	1100	1,5	3
D		3 4 5 8 10	1100	1,5	4 - 4,5
G		4	1100	5,5 - 6	8
H		3 4 6 8 10	1100	0,5 - 1	Right angle

TO BE KEPT in dry stores.

We are available to effect cutting to measurement as well as machining to drawing of parts by CNC.



# LA MISOLET

**Working Of Electric And Thermo Insulating Materials**

CNC machining by customers' drawing  
 Blanked findings  
 Direct selling  
 Sheets and panels – Rods – Tubes made of:  
 Bakelized Cloth and Bakelized Paper  
 Epoxy Glass Nema G10 and G11,  
 Silicone Nema G7 and Melamine Nema G5  
 Polyester Glass GPO3  
 Thermo Insulating Materials – Mica, Micanite  
 TOOLING, BLANKING AND DIEMAKING

## Polyester glass pressed corners

Section (mm)	A (mm)	B (mm)	C (mm)	Length (mm)	Std. Package (pieces per package)
	15	15	2	2000	25
	25	15	2	2000	25
	25	25	3	6000	
	30	30	3	2000 6000	
	50	50	3	2000	
	60	60	3	2000 6000	

Colour: Red RAL 3020.

TO BE KEPT in dry stores.

We are available to effect cutting to measurement as well as machining to drawing of parts by CNC.